

HST2 V3 Expansion anchor

Product Technical Datasheet Steel to Concrete Metal deck Update:July 25



HST2 V3 Wedge expansion anchor

High-performance expansion anchor

Anchor version



HST2 V3 (M8-M16)

Benefits

- Tested performance in Metal composite deck systems (e.g. Comflor)
- High pullout performance for mediumduty connections
- No cleaning required with the proper installation steps
- Ideal for multi-service supports in MEP applications
- Seismic resistance assessed according to C1 conditions





Base material



Concrete (uncracked)



Concrete (cracked)



Concrete over metal deck

Load conditions



Static / quasi-static



Seismic assessment according to

Drilling, cleaning, setting



Hammer drilled holes

1-111-77°1

Other information

Hilti Technical data

Instructions for use

The instructions for use can be viewed using the link in the instructions for use table or the QR code/link in the Hilti webpage table.

Instructions for use (IFU)

Anchor size	M8	M10	M12	M16			
HST2 V3	HST2 V3 M8	HST2 V3 M10	HST2 V3 M12	HST2 V3 M16			
Filling set	Filling Set						

Link to webpage



Static and quasi-static loading based on Hilti technical data. Design according to EN 1992-4

All data in this section applies to:

- Correct setting (see Instructions for use (IFU))
- Hammer drilled holes
- For a single anchor
- No edge distance and spacing influence (see setting detail tables with characteristic distances). Only one anchor can be used in the lower flute at a time with the min. spacing between anchors along the length of the flute to be at least s = 3 hef. This datasheet does not give information for the design of fasteners in a group.
- Minimum base material thickness (see setting detail table)
- Embedment depth, as specified in the table of this section
- Concrete strength minimun C30/37 without steel fibre.
- Recommended loads: With overall partial safety factor for action y = 1,4.

For anchoring into the upper flute, either use table below conservatively or refer to ETA-21/0480. In this case the minimum required slab thickness h_{min} must be larger than the deck thickness $h_{min,deck}$.

Design resistance - ComFlor® 80 and 60

Anchor size	•			M8	M10	M12	M16
Effective anchorage depth hef [mm]			45	60	70	85	
Uncracked concrete							
Tension	- HST2 V3	N_{Rd}	[kN]	4,0	6,0	8,7	11,3
Shear		V _{Rd}	[kN]	4,0	7,2	8,8	12,0
Cracked concrete							
Tension	- HST2 V3	N_{Rd}	[kN]	2,0	3,3	4,0	8,0
Shear		V_{Rd}	[kN]	4,0	7,2	8,8	12,0

Design resistance - ComFlor® SR

Analysis Mo. M.O. M.O. M.O.							
Anchor size			M8	M10	M12	M16	
Effective anchorage depth	h_{ef}	[mm]	45	60	70	85	
Uncracked concrete							
Tension HST2 V3	N_{Rd}	[kN]	4,0	6,0	8,7	11,3	
Shear	V_{Rd}	[kN]	4,0	7,2	8,8	12,0	
Cracked concrete							
Tension HST2 V3	N_{Rd}	[kN]	2,0	3,3	4,0	8,0	
Shear	V_{Rd}	[kN]	4,0	7,2	8,8	12,0	

Recommended loads- ComFlor® 80 and 60

Anchor siz	ze			M8	M10	M12	M16
Effective anchorage depth hef [mm]			45	60	70	85	
Uncracked	d concrete						
Tension	— HST2 V3	Nrec	[kN]	2,9	4,3	6,2	8,1
Shear	— HS12 V3	Vrec	[kN]	2,9	5,1	6,3	8,6
Cracked concrete							
Tension	— HST2 V3	Nrec	[kN]	1,4	2,4	2,9	5,7
Shear	— поти vo	V _{rec}	[kN]	2,9	5,1	6,3	8,6

Recommended loads- ComFlor® SR

Anchor size)			M8	M10	M12	M16	
Effective anchorage depth hef [mm]		45	60	70	85			
Uncracked	Uncracked concrete							
Tension	– HST2 V3	Nrec	[kN]	2,9	4,3	6,2	8,1	
Shear	- поти vo	V _{rec}	[kN]	2,9	5,1	6,3	8,6	
Cracked concrete								
Tension	– HST2 V3	Nrec	[kN]	1,4	2,4	2,9	5,7	
Shear	— ПЭТZ V3	V _{rec}	[kN]	2,9	5,1	6,3	8,6	

Seismic loading based on Hilti technical data. Design according to EN 1992-4

All data in this section applies to:

- Correct setting (see Instructions for use (IFU))
- Hammer drilled holes
- For a single anchor
- No edge distance and spacing influence (see setting detail tables with characteristic distances). Only one anchor can be used in the lower flute at a time with the min.spacing between anchors along the length of the flute to be at least s = 3 hef. This datasheet does not give information for the design of fasteners in a group
- Minimum base material thickness (see setting detail table)
- Embedment depth, as specified in the table of this section
- Concrete strength minimun C30/37 without steel fibre.
- α_{gap} = 1,0 (using Hilti filling set) and α_{gap} = 0,5 (without using Hilti filling set) accordingly

For anchoring into the upper flute, either use table below conservatively or refer to ETA-21/0480. In this case the minimum required slab thickness h_{min} must be larger than the deck thickness $h_{min,deck}$.

Design resistance in case of seismic performance category C1- ComFlor® 80 and 60

Anchor size				M10	M12	M16
Effective anch	orage depth	h _{ef}	[mm]	60	70	85
with and without Hilti filling set						
Tension	HST2 V3	$N_{\text{Rd,C1}}$	[kN]	3.3	4.0	6.7
with Hilti fillin	ig set (α _{gap} =	1,0)				
Shear	HST2 V3	$V_{\text{Rd},\text{C1}}$	[kN]	4.0	5.6	8.8
without Hilti filling set (α _{gap} = 0,5)						
Shear	HST2 V3	$V_{\text{Rd},\text{C1}}$	[kN]	2.0	2.8	4.4

Design resistance in case of seismic performance category C1- ComFlor® SR

•			•	0 ,		
Anchor siz	ze			M10	M12	M16
Effective ar	nchorage depth	h _{ef}	[mm]	60	70	85
with and without Hilti filling set						
Tension	HST2 V3	$N_{\text{Rd},\text{C1}}$	[kN]	3.3	4.0	6.7
with Hilti filling set ($\alpha_{gap} = 1,0$)						
Shear	HST2 V3	$V_{\text{Rd},\text{C1}}$	[kN]	4.0	5.6	8.8
without Hilti filling set (α _{gap} = 0,5)						
Shear	HST2 V3	$V_{\text{Rd,C1}}$	[kN]	2.0	2.8	4.4

Setting information


Setting details

ComFlor® 80 and 60 and ComFlor® SR

Туре		HS	T2 V3				
Anchor size			M8	M10	M12	M16	
Nominal embedment depth	h_{nom}	[mm]	55	70	83	98	
Effective embedment depth	h _{ef}	[mm]	45	60	70	85	
Nominal diameter of drill bit	d ₀	[mm]	8	10	12	16	
Depth of cleaned borehole overhead	h_1	[mm]	60	75	91	106	
Depth of uncleaned borehole overhead	h ₁	[mm]	75	90	103	118	
Instalation torque	T _{inst}	[NM]	15	25	40	80	
Minimum base material thickness	h_{min}	[mm]	100	120	140	160	
Minimum concrete thickness over upper flute	h _{min,deck}	[mm]	70				
Minimum distances ComFlor® 80 and 60							
Spacing	S _{min}	[mm]	60	105	110	105	
Edge distance	Cmin	[mm]	45	55	55	70	
Minimum distance to edge of lower flute	C _{min,deck}	[mm]	45	55	55	60	
Minimum distances ComFlor® SR							
Spacing	Smin	[mm]	60	105	110	105	
Edge distance	C _{min}	[mm]	45	55	55	70	
Minimum distance to edge of lower flute	Cmin,deck	[mm]	55 ¹⁾	55 ¹⁾	55 ¹⁾	70	
Characteristics distances - installation from the top side (concrete side), h _{min,deck} to be ≥ h _{min}							
Spacing for splitting failure	S _{cr,sp}	[mm]	191	291	284	337	
Edge distance for splitting	C _{cr,sp}	[mm]	135	180	210	255	
Spacing for concrete cone failure	S _{cr,N}	[mm]	96	146	142	168	
Edge distance for concrete cone failure	C _{cr,N}	[mm]	68	90	105	128	

For spacing (edge distance) smaller than characteristic spacing (characteristic edge distance) the design loads have to be reduced.

1) Limited by the steel sheet geometry, not a MIN value for the anchor



Installation position for HST2 V3 anchor in metal decks:




Figure 1:Setting diagram for ComFlor® 80 and 60




Figure 2: Setting diagram for ComFlor® SR

Drilling equipment

For detailed setting information on installation, see instructions for use given with the product.

Rotary Hammers (Corded and Cordless)	TE 2 - TE 30
	Hammer drill bit TE-CX, TE-C
Other tools	Blow out pump