

# Tribol GR 400-2 PD

## Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

Issue date: 01/07/2025

Revision date: 01/07/2025

Supersedes: 08/05/2023

Version: 2.0

## SECTION 1: Identification

### 1.1 Product identifier

Trade name	Tribol GR 400-2 PD
Product form	Mixture
Product code	BU ETA

### 1.2 Other means of identification

No additional information available

### 1.3 Recommended use of the chemical and restrictions on use

Recommended uses and restrictions	For professional use only
Recommended use	Lubricant

### 1.4 Details of manufacturer or importer

<b>Supplier</b>	<b>Department issuing data specification sheet</b>
Castrol Holdings Europe B.V.	Hilti AG
d'Arcyweg 76	Feldkircherstraße 100
Europoort Rotterdam 3198 NA	Schaan 9494
Netherlands	Liechtenstein
T +49 (0) 800 863 73 70	T +423 234 2111
<a href="mailto:MSDSadvice@bp.com">MSDSadvice@bp.com</a>	<a href="mailto:product.compliance-power.tools@hilti.com">product.compliance-power.tools@hilti.com</a>

### 1.5. Emergency phone number

Emergency number	GBK GmbH Global Regulatory Compliance
	+49 (0)6132-84463

Country	Organisation/Company	Address	Emergency number
New Zealand	National Poisons Centre		0800 764 766

## SECTION 2: Hazard identification

### 2.1. Classification of the hazardous chemical

Classification according to the Environmental Protection Authority notices (EPA Hazardous Substances and New Organisms Act 1996)

Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Chronic Hazard, Category 3	H412

### 2.2. GHS Label elements, including precautionary statements

#### GHS NZ labelling

Hazard pictograms (GHS NZ)



Signal word (GHS NZ)

Contains

Warning

Reaction products of triphenyl phosphite and isodecanol (1:1) (0.1 – 1 %); Reaction product of ammonium molybdate and C12-C24-diethoxylated alkylamine (0.1 – 1 %); 2,6-di-tert-butyl-4-nonylphenol (0.1 – 1 %)

Hazard statements (GHS NZ)

H317 - May cause an allergic skin reaction

H412 - Harmful to aquatic life with long lasting effects

# Tribol GR 400-2 PD

## Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

Prevention	P261 - Avoid breathing dust. P273 - Avoid release to the environment.
Response	P280 - Wear protective gloves. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P332+P313 - If skin irritation occurs: Get medical attention.
Disposal	P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards which do not result in classification

No additional information available

## SECTION 3: Composition and information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	Conc.	Classification according to GHS NZ
Reaction products of triphenyl phosphite and isodecanol (1:1)	CAS-No.: 26544-23-0	0.1 – 1	Skin Sens. 1, H317 STOT RE 2, H373 Aquatic Chronic 2, H411
Reaction product of ammonium molybdate and C12-C24-diethoxylated alkylamine	-	0.1 – 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
2,6-di-tert-butyl-4-nonylphenol	CAS-No.: 4306-88-1	0.1 – 1	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

## SECTION 4: First-aid measures

### 4.1. Description of necessary first-aid measures

First-aid measures general	First aider: Pay attention to self-protection!.
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
First-aid measures after skin contact	Wash with soap and water. Remove all contaminated clothing and footwear. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
First-aid measures after ingestion	Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If unconscious place in recovery position and seek medical advice. If you feel unwell, seek medical advice.

### 4.2. Symptoms caused by exposure

Symptoms/effects after inhalation	May cause respiratory irritation.
Symptoms/effects after skin contact	Repeated dermal contact with material can lead to defatting of the skin.
Symptoms/effects after eye contact	Direct contact with the eyes is likely to be irritating.
Symptoms/effects after ingestion	Nausea. Diarrhea.
Chronic symptoms	Symptoms may be delayed.

### 4.3. Medical attention and special treatment

Other medical advice or treatment	High pressure injection of product under the skin can have very serious consequences even without apparent symptoms or injuries.
-----------------------------------	----------------------------------------------------------------------------------------------------------------------------------

# Tribol GR 400-2 PD

## Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

### SECTION 5: Fire-fighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	Foam, powder.
Unsuitable extinguishing media	Do not use a heavy water stream.

#### 5.2. Specific hazards arising from the chemical

Fire hazard	No fire hazard.
Explosion hazard	No direct explosion hazard.
General measures	Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
Hazardous decomposition products in case of fire	Carbon oxides (CO, CO <sub>2</sub> ). Metallic oxides.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	Do not allow run-off from fire fighting to enter drains or water courses.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

##### 6.1.1. For non-emergency personnel

Protective equipment	Wear recommended personal protective equipment.
Emergency procedures	Evacuate unnecessary personnel. If spilled, may cause the floor to be slippery. Ventilate spillage area.

##### 6.1.2. For emergency responders

Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	Evacuate unnecessary personnel. Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent liquid from entering sewers, watercourses, underground or low areas.

#### 6.3. Methods and materials for containment and cleaning up

For containment	Using a clean shovel, put the material in a dry container and cover without compressing it.
Methods for cleaning up	Mechanically recover the product. Clean up any spills as soon as possible, using an absorbent material to collect it.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling	Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact with skin, eyes and clothing.
Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures	Keep in a cool, well-ventilated place away from heat.
--------------------	-------------------------------------------------------

# Tribol GR 400-2 PD

## Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

Storage conditions  
Packaging materials

Opened containers must be carefully closed and kept upright to avoid leakage.  
Store always product in container of same material as original container.

## SECTION 8: Exposure controls and personal protection

### 8.1. Control parameters - exposure standards

No additional information available

#### Exposure limit values for the other components

No additional information available

### 8.2. Monitoring methods

No additional information available

### 8.3. Engineering controls

Appropriate engineering controls

Ensure good ventilation of the work station.

### 8.4. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment

Wear recommended personal protective equipment.

Hand protection

Protective gloves

Eye protection

Safety glasses

Skin and body protection

Wear suitable protective clothing

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s)



Environmental exposure controls

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

Physical state

Solid

Appearance

Pasty.

Colour

brown

Odour

No data available

Odour threshold

No additional information available

pH

No additional information available

Evaporation rate

No additional information available

Relative evaporation rate (butylacetate=1)

No data available

Melting point / Freezing point

No additional information available

Boiling point

No data available

Flash point

268 °C estimated

Auto-ignition temperature

Not applicable

Flammability

No additional information available

Vapour pressure

Vapour pressure: 0.0087 hPa

Relative density

No additional information available

Density

Density: < 1 g/cm<sup>3</sup> (20 °C)

Solubility

insoluble in water.

Partition coefficient n-octanol/water (Log Pow)

No data available

Viscosity, dynamic

No data available

Explosive properties

No data available

Explosive limits

Not applicable

Minimum ignition energy

No data available

# Tribol GR 400-2 PD

## Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

### SECTION 10: Stability and reactivity

Reactivity	No additional information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	No dangerous reactions known under normal conditions of use.
Conditions to avoid	No flames, no sparks. Eliminate all sources of ignition.
Incompatible materials	Oxidizing materials.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Toxicity

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

Reaction products of triphenyl phosphite and isodecanol (1:1) (26544-23-0)	
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 8.4 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified

Reaction products of triphenyl phosphite and isodecanol (1:1) (26544-23-0)	
LOAEL (oral, rat, 90 days)	40 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
NOAEL (oral, rat, 90 days)	15 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard	Not classified
-------------------	----------------

### SECTION 12: Ecological information

#### 12.1. Ecotoxicity

Ecology - general	Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term (chronic)	Harmful to aquatic life with long lasting effects.
Soil toxicity	Not classified
Terrestrial vertebrate toxicity	Not classified
Terrestrial invertebrate toxicity	Not classified

Reaction products of triphenyl phosphite and isodecanol (1:1) (26544-23-0)	
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

# Tribol GR 400-2 PD

## Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

### 12.2. Persistence and degradability

Tribol GR 400-2 PD	
Persistence and degradability	No additional information available.

### 12.3. Bioaccumulative potential

Tribol GR 400-2 PD	
Bioaccumulative potential	No additional information available

### 12.4. Mobility in soil

Tribol GR 400-2 PD	
Mobility in soil	No additional information available

### 12.5. Other adverse effects

Ozone	Not classified
Other adverse effects	No additional information available

## SECTION 13: Disposal considerations

Waste treatment methods	Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	Comply with applicable regulations for solid waste disposal. Disposal must be done according to official regulations.
Additional information	Do not re-use empty containers.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID /

ADR	IMDG	IATA	RID
<b>14.1. UN number or ID number</b>			
Not regulated	Not regulated	Not regulated	Not regulated
<b>14.2. UN proper shipping name</b>			
Not regulated	Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>			
Not regulated	Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>			
Not regulated	Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>			
Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available			

### 14.6. Special precautions for user

**Overland transport**  
Not regulated

**Transport by sea**  
Not regulated

# Tribol GR 400-2 PD

## Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

**Air transport**

Not regulated

**Rail transport**

Not regulated

**14.7. Maritime transport in bulk according to IMO instruments**

Not applicable

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations specific for the product in question**

No additional information available

**15.2. Chemical safety assessment**

No additional information available

**SECTION 16: Other information**

Issue date	1/07/2025
Revision date	01/07/2025
Supersedes	08/05/2023

Indication of changes			
Section	Changed item	Change	Comments
1	Department issuing data specification sheet	Modified	
2.1	GHS NZ classification	Modified	
2.2	Hazard pictograms (GHS NZ)	Added	
2.2	Hazard statements (GHS NZ)	Modified	
2.2	Precautionary statements (GHS NZ)	Modified	
3	Composition/information on ingredients	Modified	

# Tribol GR 400-2 PD

## Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

### Abbreviations and acronyms

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road  
 ATE - Acute Toxicity Estimate  
 BCF - Bioconcentration factor  
 BLV - Biological limit value  
 BOD - Biochemical oxygen demand (BOD)  
 COD - Chemical oxygen demand (COD)  
 DMEL - Derived Minimal Effect level  
 DNEL - Derived-No Effect Level  
 EC-No. - European Community number  
 EC50 - Median effective concentration  
 EN - European Standard  
 IARC - International Agency for Research on Cancer  
 IATA - International Air Transport Association  
 IMDG - International Maritime Dangerous Goods  
 LC50 - Median lethal concentration  
 LD50 - Median lethal dose  
 LOAEL - Lowest Observed Adverse Effect Level  
 NOAEC - No-Observed Adverse Effect Concentration  
 NOAEL - No-Observed Adverse Effect Level  
 NOEC - No-Observed Effect Concentration  
 OECD - Organisation for Economic Co-operation and Development  
 OEL - Occupational Exposure Limit  
 PBT - Persistent Bioaccumulative Toxic  
 PNEC - Predicted No-Effect Concentration  
 RID - Regulations concerning the International Carriage of Dangerous Goods by Rail  
 SDS - Safety Data Sheet  
 STP - Sewage treatment plant  
 ThOD - Theoretical oxygen demand (ThOD)  
 TLM - Median Tolerance Limit  
 VOC - Volatile Organic Compounds  
 CAS-No. - Chemical Abstract Service number  
 N.O.S. - Not Otherwise Specified  
 vPvB - Very Persistent and Very Bioaccumulative  
 ED - Endocrine disruptor

Full text of H-statements	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
H315	Causes skin irritation
H317	May cause an allergic skin reaction



# Tribol GR 400-2 PD

## Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996)

Full text of H-statements	
H319	Causes serious eye irritation
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

SDS\_NZ\_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.